Abstract Notification.

The attention of the intending purchasers is drawn to pages 1058-1059 of Part VI of the *Mysore Gazette*, dated 16th May 1935, notifying sales of Tupra leaves for 1935-38.

D. NARASIMHAMOORTY RAO,
District Forest Officer.

ENGINEERING DEPARTMENT

BUREAU OF SANITARY ENGINEERING, BANGALORE.

Notification dated 11th May 1935.

Notice is hereby given that sealed tenders will be received at the Office of the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, up to 1 P.M., on 4th June 1935, for constructing drains in Kolar Town. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of August 1935.

2. The plans, detailed estimate and conditions may be seen at the Sanitary Engineer's Office between the hours of 11 A.M., and 5 P.M., on all office days.

3. Tenders should be submitted on printed forms which may be obtained from the Sanitary Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 150 in cash (no cheques will be accepted) as earnest money, and be superscribed "Tender for constructing drains in Kolar Town" in default of which, the tenders will be rejected.

5. The final acceptance of the tender will rest with the Director of Health in Mysore who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond in default of which his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Sanitary Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Charges on account of scaffolding materials, implements for setting out, barricading, clearing site, supply of water, etc., that may be found necessary during execution will not be paid for separately but should be borne by the contractor.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department of those fixed by the Sanitary Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of disputes about rates, quantities, measurements, quality of work, etc., and in all disputes of any kind, the decision of the Director of Health will be final and legally binding.

Statement of the approximate quantities for constructing drains in Kolar Town.

Sl. No.	Particulars	Unit	Quantity
1	Constructing silk pattern drain with burnt stone slab cheeks at sides and surki concrete bed by forming channel at the centre of the concrete bed and surface plastered over with ½" cement mortar joints of slabs cement pointed, including earthwork excavation of the drain, etc., complete as per type designs.		
	1. Design of 5" (2)	R.ft.	300
	2. Do of 6" (2)	,,	750
	3. Do of 7" (2)	,,	1,225
2	Providing burnt stone covering slabs 5" to 6" thick with rough dressing the edges over the drains at road crossings	S.ft.	100

M. R. NARASIMIENGAR,
For *Sanitary Engineer.*

6 B

BANGALORE BUILDINGS DIVISION.

Notification dated 14th May 1935.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Buildings Division, up to 11th June 1935, (2 P.M.) for constructing Fort Middle School, Bangalore. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of June 1936.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Bangalore between the hours of 11 A.M. to 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 1,400 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for constructing Fort Middle School, Bangalore" in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Chief Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for Contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted. Transfer of works to the third parties by the selected contractor will not be countenanced by the Department and in the case of any such attempt, the earnest money is liable to be forfeited at the discretion of the Superintending Engineer.

Abstract estimate of quantities for constructing Fort Middle School at Bangalore.

Item No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		
1	Earthwork excavation and filling in basement with excavated earth and tamping, etc., complete	C.yds.		625	
2	Granite jelly concrete in lime mortar	C.ft.		6,334	
3	Size stone in mortar with bond stones at every 6' apart foundation and basement including dressing quoins 1½" wide at corners	C.ft.		9,677	
4	Burnt brick in mortar			17,964	
5	Burnt stone slabs 6" thick and two line dressing to exposed faces and other surfaces roughly dressed and fixed in mortar	S.ft.		4,256	
6	Burnt stone pillars 8" sqr. 10' high with base and capital 3 line dressed and fixed	No.		24	
7	Teakwood doors, frame 4"×5", ⅓ panelled and ⅔ glazed; 1¾" thick shutters with brass fittings, etc., complete including silicate painting to nice finish	S.ft.		450	

Item No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		
8	Teakwood windows, frame 4″×3″ with ¾″ iron bars, glazed shutters 1¼″ thick with iron fittings, etc., complete including silicate painting to nice finish	S.ft.		838	
9	R. C. C. perforated ventillators, of 1¼″ thick including fixing and wooden beading alround.	,,		341	
10	Teakwood ventilators with glazed shutters and iron fittings, etc., complete including silicate painting to nice finish	,,		381	
11	Burnt stone slabs for wall plate 3″×4″ thick roughly dressed and fixed in mortar ..	,,		726	
12	Tata's tested R. S. girders including boxing with brick in cement mortar and lime mortar plastering, etc., complete	Cwts.		146	
13	Teakwood wrought and put up including 2 coats of wood-oiling, etc., complete	C.ft.		750	
14	Pukka terrace 9″ (Mine inches) thick, complete as per specification including chunam plastering to top and ceiling, etc., complete ..	Sqr.		75·00	
15	Plain cornice 9″×9″ including string course ..	R.ft.		856	
16	Entablature wall 1⅛ foot wide over girders with lime mortar plastering, panelling, whitewashing, etc., complete	,,		213	
17	Plain parapet wall 1⅛′×½′ base wall ¾×1½ including top cornice and plastering and whitewashing, etc., complete	,,		805	
18(*a*)	Burnt stone slabbed flooring 2 line dressed, laid diagonally (1½′ sqr. slabs) over 3″ lime mortar jelly concrete including the cement pointing the joists, etc., complete	Sqr.		42·00	
19	Lime mortar plastering	,,		250·00	
20	White and colour washing	Sqr.		250·00	
21	Teakwood screens with doors with iron fittings and varnishing, etc., complete	S.ft.		368	
22	Galvanised rain water down-take pipes 4″ dia. including mouths, bends, clamps and fixing etc., complete	R.ft.		400	

A. TANDONI RAO,
Executive Engineer.

KOLAR DIVISION.

Notification, dated 17th May 1935.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Kolar Division, up to 2 P.M. on 10th June 1935, for restoring Holur Dodkere Tank, Kolar Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of June 1936.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Kolar between the hours of 11 A.M. and 5 P.M. on office days.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 700 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for Restoring Holur Dodkere Tank, Kolar Taluk," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer, Mysore Circle, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office, in due course. No enquiries, regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders, will be returned.

9. The rates are to be entered both in figures and in words.

10. Rates once tendered will on no account be increased afterwards.

11. Tenders stating that the dues in the Department may be adjusted towards earnest money, will be rejected.

12. Progress to the extent of Rs. 1,500 has to be shown every month.

Abstract estimate for restoring Holur Doddakere Tank, Register No. 384—488 of Kolar Taluk.

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		
	I. Bund at R. L. 54·00 Top width 6′ slopes 1½ : 1 and 2 : 1.				
1	Earthwork to bund gravelly soil with watering and consolidation	C.yds.		6,192	
2	Earthwork to breaches do do ..	,,		3,536	
3	Do excavation for puddle wall ..	,,		256	
4	Puddle wall	,,		542	
5	Cutting trenches to bund at the ends of puddle wall	L. S.		..	
6	Gravel backing to revetment	C.yds.		274	
7	Turfing front and rear slopes	S.yds.		8,000	
8	Removing and resetting old stone revetment with new jelly	C.yds.		1,743	
9	New stone revetment with lead of 2 miles ..	,,		2,453	
10	Providing and fixing new grade stones including figuring and painting, etc., complete ..	Each		51	
11	Do index stones do	,,		51	
12	Do Register No. and date stones do ..	,,		1	
13	Gauge stone do	,,		1	
14	Do B. M. stones	,,		2	
15	Removing top soil and cutting trenches to bund.	Grade		46	
16	Unforeseen items under bund	L. S.		..	
	Total to bund	..	..	..	..
	(a) Sluice No. 2 at R. L. 44·00.				
1	Earthwork excavation gravelly soil and refilling with consolidation	C.yds.		50	
2	Stone jelly concrete in surki mortar ..	C.ft.		339	
3	Burnt brick in surki mortar or burnt stone in surki mortar	,,		384	
4	Burnt stone slabs 6″ thick, dressed and fixed ..	S.ft.		257	
5	Plastering with surki mortar	S.yds.		6·16	
6	Cutting holes in slabs	L. S.		..	
7	Providing plug and rod including locking arrangements	,,		..	
8	Unforeseen charges	L. S.			
	Total for No. 2 sluice	..	..	..	..
	(b) Sluice No. 1, Cill at R. L. 45·00.				
	As per sluice No. 2	..	..	..	
	(c) Sluice No. 3, Cill at R. L. 45·00.				
	As per sluice No. 2	..	..	..	..

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		
	III. Left Waste Weir at R. L. 48·00—250 *feet.*				
1	Earthwork excavation ordinary soil for foundation	C.yds.		274	
2	Stone jelly concrete in surki mortar	C.ft.		711	
3	Burnt brick in surki mortar or burnt stone in surki mortar	,,		690	
4	Burnt stone slabs 4″ to 6″ thick, dressed and fixed	S.ft.		934	
5	Plastering with surki mortar	Sqr.		12.93	
6	Rough stone work, new, including jelly backing	C.yds.		318	
7	Joggle joints	Each		33	
8	Draft and approach clearing	L. S. Rs.		..	
9	Unforeseen charges	,,		..	
	Total for Left Weir	..	..	..	..
	IV. Right Waste Weir at R. L. 48·00—200 *feet.*				
1	Earthwork excavation ordinary soil for foundation	C.yds.		201	
2	Stone jelly concrete in surki mortar	C.ft.		580	
3	Burnt brick in surki mortar or burnt stone in surki mortar	,,		581	
4	Burnt stone slabs 4″ to 6″ thick dressed and fixed	S.ft.		753	
5	Plastering with surki mortar	Sqr.		10.90	
6	Rough stone work, new with jelly backing ..	C.yds.		191	
7	Providing joggle joints	Each		25	
8	Approach clearing	L. S. Rs.			
9	Unforeseen items	,,		..	
	Total for Waste Weir right	..			

N. SUBBA RAO,
Executive Engineer.

MYSORE DIVISION.

Abstract Notification dated 11th May 1935.

"The attention of the public is invited to the detailed notification calling for tenders for construction of quarters for the Electrical Staff along the Mysore-Bhadravathi Power line, published on pages 1059-1060, Part VI of the *Mysore Gazette*, dated 16th May 1935."

The latest date for the receipt of tender is 27th May 1935.

Notification dated 13th May 1935.

"The attention of the public is invited to the detailed notification calling for tenders for restoration of Rajaghatta minor Tank, Krishnarajapet Taluk, published on pages 1063-65, Part VI of the *Mysore Gazette*, dated 16th May 1935.

The latest date for the receipt of tender is 3rd June 1935.

V. V. PATANKAR,
Executive Engineer,